

References

- Albano, A. M., & Kendall, P. C. (2002). Cognitive behavioral therapy for children and adolescents with anxiety disorders: Clinical research advances. *International Review of Psychiatry, 14*, 129–134.
- Baer, D., Wolf, M., & Risley, R. (1968). Some current dimensions of applied behavior analysis. *Journal of Applied Behavior Analysis, 1*, 91–97.
- Baer, D., Wolf, M., & Risley, R. (1987). Some still-current dimensions of applied behavior analysis. *Journal of Applied Behavior Analysis, 20*, 313–327.
- Barkley, R. (2000). *Taking charge of ADHD: The complete, authoritative guide for parents* (rev. ed.) New York: Guilford Press.
- Beck, A. T. (1964). Thinking and depression: II. Theory and therapy. *Archives of General Psychiatry, 10*, 561–571.
- Beck, A. T. (1976). *Cognitive therapy and the emotional disorders*. New York: International Universities Press.
- Beck, A. T. (2005). The current state of cognitive therapy: A 40-year retrospective. *Archives of General Psychiatry, 62*, 953–959.
- Beck, A. T., Emery, G., & Greenberg, R. L. (1990). *Anxiety disorders and phobias: A cognitive perspective*. New York: Basic Books.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emory, G. (1979). *Cognitive therapy of depression*. John Wiley & Sons.
- Beck, A. T., Wright, F. D., Newman, C. F., & Liese, B. S. (1993). *Cognitive therapy of substance abuse*. New York: Guilford Press.
- Beck, J. S. (1995). *Cognitive therapy: Basics and beyond*. New York: Guilford Press.
- Beidas, R. S., & Kendall, P. C. (2010). Training therapists in evidence-based practice: A critical review of studies from a systems-contextual perspective. *Clinical Psychology: Science and Practice, 17*, 1–30.
- Bennett, H., & Wells, A. (2010). Metacognition, memory disorganization, and rumination in post-traumatic stress symptoms. *Journal of Anxiety Disorders, 24*, 318–325.
- Benson, H. (1975). *The relaxation response*. New York: Avon.

- Bernstein, G. A., Layne, A. E., Egan, E. A. & Tennison, D. M. (2005). School-based interventions for anxious children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44, 1118–1127.
- Bloomquist, M. L., August, G. J., & Ostrander, R. (1991). Effects of a school-based cognitive-behavioral intervention for ADHD children. *Journal of Abnormal Child Psychology*, 19, 591–605.
- Braswell, L., & Bloomquist, M. L. (1991). *Cognitive-behavioral therapy with ADHD children: Child, family, and school interventions*. New York: Guilford Press.
- Burns, D. D. (1980). *Feeling good: The new mood therapy*. New York: Signet.
- Butler, A. C., Chapman, J. E., Forman, E. M., & Beck, A. T. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clinical Psychology Review*, 26(1), 17–31.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2006). Web-based Injury Statistics Query and Reporting System (WISQARS): www.cdc.gov/ncipc/wisqars.
- Chambless, D. L., & Ollendick, T. H. (2001). Empirically supported psychological interventions: Controversies and evidence. *Annual Review of Psychology*, 52, 685–716.
- Cisler, J. M., & Koster, E. H. W. (2010). Mechanisms of attentional biases towards threat in anxiety disorders: An integrative review. *Clinical Psychology Review*, 30, 203–216.
- Clarke, G., Lewinsohn, P., & Hops, H. (1990). *Instructor's manual for the Adolescent Coping with Depression Course*. Eugene, OR: Castalia Press.
- Clerkin, E. M., & Teachman, B. A. (2010). Training implicit social anxiety associations: An experimental intervention. *Journal of Anxiety Disorders*, 24, 300–308.
- Coffman, S. J., Martell, C. R., Dimidjian, S., Gallop, R., & Hollon, S. D. (2007). Extreme nonresponse in cognitive therapy: Can behavioral activation succeed where cognitive therapy fails? *Journal of Consulting and Clinical Psychology*, 75, 531–541.
- Cohen, J. A., Deblinger, E., Mannarino, A. P., & Steer, R. (2004). A multi-site randomized controlled trial for children with sexual abuse-related PTSD. *Journal of the American Academy of Child and Adolescent Psychiatry* 43(4), 393–402.
- Cottraux, J., Note, I., Albuissou, E., Yao, S. N., Note, B., Mollard, E., et al. (2000). Cognitive behavior therapy versus supportive therapy in social phobia: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 69, 137–146.
- Cromer, L. D., & Smyth, J. M. (2010). Making meaning of trauma: Trauma exposure doesn't tell the whole story. *Journal of Contemporary Psychotherapy*, 4(0), 65–72.
- Crone, D. A., & Horner, R. H. (2003). *Building positive behavior support systems in schools*. New York: Guilford Press.
- Davidson, J. R. T., Foa, E. B., Huppert, J. D., Keefe, F., Franklin, M., Compton, J., et al. (2004). Fluoxetine, comprehensive cognitive behavioral therapy, and placebo in generalized social phobia. *Archives of General Psychiatry*, 61, 1005–1013.
- Deblinger E., Stauffer L. B., & Steer R. A. (2001). Comparative efficacies of supportive and cognitive behavioral group therapies for young children who have been sexually abused and their non-offending mothers. *Child Maltreatment*, 6, 332–343.
- DeRubeis, R. J. & Feeley, M. (1990). Determinants of change in cognitive therapy for depression. *Cognitive Therapy and Research*, 14, 469–482.
- Edelman, R. E., & Chambless, D. L. (1995). Adherence during sessions and homework in cognitive behavioral group treatment of social phobia. *Behaviour Research and Therapy*, 33, 573–577.
- Foa, E. B., Dancu, C. V., Hembree, E. A., Jaycox, L. H., Meadows, E. A., & Street, G. P. (1999). A comparison of exposure therapy, stress inoculation training, and their combination for reduc-

- ing posttraumatic stress disorder in female assault victims. *Journal of Consulting and Clinical Psychology*, 67, 194–200.
- Foa, E. B., Hembree, E. A., Cahill, S. P., Rauch, S. A. M., Riggs, D. S., Feeny, N. C., et al. (2005). Randomized trial of prolonged exposure for posttraumatic stress disorder with and without cognitive restructuring: Outcome at academic and community clinics. *Journal of Consulting and Clinical Psychology*, 73, 953–964.
- Foa, E. B., Rothbaum, B. O., Riggs, D., & Murdock, T. (1991). Treatment of post-traumatic stress disorder in rape victims: A comparison between cognitive-behavioral procedures and counseling. *Journal of Consulting and Clinical Psychology*, 59, 715–723.
- Foa, E. B., Steketee, G., Grayson, J. B., Turner, R. M., & Latimer, P. (1984). Deliberate exposure and blocking of obsessive–compulsive rituals: Immediate and long-term effects. *Behavior Therapy*, 15, 450–472.
- Foa, E. B., Steketee, G. S., & Milby, J. B. (1980). Differential effects of exposure and response prevention in obsessive–compulsive washers. *Journal of Consulting and Clinical Psychology*, 48, 71–79.
- Foa, E. B., Steketee, G., Turner, R. M., & Fischer, S. C. (1980). Effects of imaginal exposure to feared disasters in obsessive–compulsive checkers. *Behaviour Research and Therapy*, 18, 449–455.
- Franklin, M. E., Abramowitz, J. S., Kozak, M. J., Levitt, J. T., & Foa, E. B. (2000). Effectiveness of exposure and ritual prevention for obsessive–compulsive disorder: Randomized compared with nonrandomized samples. *Journal of Consulting and Clinical Psychology*, 68, 594–602.
- Gimpel Peacock, G., & Collett, B. R. (2010). *Collaborative home/school interventions: Evidence-based solutions for emotional, behavioral, and academic problems*. New York: Guilford Press.
- Gotestam, K. G., & Hokstad, A. (2002). One session treatment of spider phobia in a group setting with rotating active exposure. *European Journal of Psychiatry*, 16, 129–134.
- Gotlib, I. H., & Joormann, J. (2010). Cognition and depression: Current status and future directions. *Annual Review of Clinical Psychology*, 6, 285–312.
- Granholt, E., McQuaid, J. R., Auslander, L., & McClure, F. S. (2004). Group cognitive behavioral social skills training for outpatients with chronic schizophrenia. *Journal of Cognitive Therapy: An International Quarterly*, 18, 265–279.
- Granholt, E., McQuaid, J. R., McClure, F. S., Auslander, L. A., Perivoliotis, D., Pedrelli, P., Patterson, T., & Jeste, D. V. (2005). A randomized controlled trial of cognitive behavioral social skills training for middle aged and older outpatients with chronic schizophrenia. *American Journal of Psychiatry*, 162, 520–529.
- Grossman, P. B., & Hughes, J. N. (1992). Self-control interventions with internalizing disorders: A review and analysis. *School Psychology Review*, 21(2), 229–245.
- Hayes, S. C., Follette, V. M., & Linehan, M. M. (2004). *Mindfulness and acceptance: Expanding the cognitive behavioral tradition*. New York: Guilford Press.
- Heimberg, R. G., Dodge, C. S., Hope, D. A., Kennedy, C. R., Zollo, L. J., & Becker, R. E. (2000). Cognitive behavioral group treatment for social phobia: Comparison with a credible placebo control. *Cognitive Therapy and Research*, 14, 1–23.
- Jacobson, E. (1974). *Progressive relaxation*. Chicago: University of Chicago Press, Midway Reprint.
- Kendall, P. C., Hudson, J., Gosch, E., Flannery-Schroeder, E., & Suveg, C. (2008). Cognitive-behavioral therapy for anxiety disordered youth: A randomized clinical trial evaluating child and family modalities. *Journal of Consulting and Clinical Psychology*, 76, 282–297.
- Kendall, P. C., Hudson, J. L., Choudhury, M., Webb, A., & Pimentel, S. (2005). Cognitive-behavioral treatment for childhood anxiety disorders. In E. D. Hibbs & P. S. Jensen (Eds.), *Psychosocial*

- treatments for child and adolescent disorders: Empirically based strategies for clinical practice* (2nd ed., pp. 47–73). Washington, DC: American Psychological Association.
- Ladouceur, R., Dugas, M. J., Freeston, M. H., Léger, E., Gagnon, F., & Thibodeau, N. (2000). Efficacy of cognitive-behavioral treatment of generalized anxiety disorder: Evaluation in a controlled clinical trial. *Journal of Consulting and Clinical Psychology, 68*, 957–964.
- Landon, T. M., & Barlow, D. H. (2004). Cognitive-behavioral treatment for panic disorder: Current status. *Journal of Psychiatric Practice, 10*, 211–226.
- Lee, N. K., Pohlman, S., Baker, A., Ferris, J., & Kay-Lambkin, F. (2010). It's the thought that counts: Craving metacognitions and their role in abstinence from methamphetamine use. *Journal of Substance Abuse Treatment, 38*, 245–250.
- Leung, A. W., & Heimberg, R. G. (1996). Homework compliance, perceptions of control and outcome in cognitive behavioral treatment for social phobia. *Behaviour Research and Therapy, 34*, 423–432.
- March, J. S. (1995). Cognitive-behavioral psychotherapy for children and adolescents with OCD: A review and recommendations for treatment. *Journal of the American Academy of Child and Adolescent Psychiatry, 34*(1), 7–18.
- Mawson, A., Cohen, K., & Berry, K. (2010). Reviewing evidence for the cognitive model of auditory hallucinations: The relationship between cognitive voice appraisals and distress during psychosis. *Clinical Psychology Review, 30*, 248–258.
- Moats, L. C., & Hall, S. L. (1999). *Straight talk about reading: How parents can make a difference during the early years*. New York: Contemporary Books.
- Moss, D., McGrady, A., Davies, T. C., & Wickramasekera, I. (2003). *Handbook of mind–body medicine for primary care*. Thousand Oaks, CA: Sage.
- Muhlberger, A., Wiedemann, G. C., & Pauli, P. (2003). Efficacy of a one-session virtual reality exposure treatment for fear of flying. *Psychotherapy Research, 13*, 323–336.
- Muñoz, R. F., Ippen, C. G., Rao, S., Le, H.-N., & Dwyer, E. V. (2000). *Manual for group cognitive-behavioral therapy of major depression*. San Francisco: University of California. Available at medschool.ucsf.edu/latino/manuals.aspx.
- Neimeyer, R. A., & Feixas, G. (1990). The role of homework and skill acquisition in the outcome of group cognitive therapy for depression. *Behavior Therapy, 21*, 281–292.
- O'Kearney, R. T., Anstey, K. J., & von Sanden, C. (2006). Behavioural and cognitive behavioural therapy for obsessive compulsive disorder in children and adolescents (Review). *Cochrane Database of Systematic Reviews, 4*.
- O'Neill, R. E., Horner, R. H., Alpine, R. W., Sprague, J. R., Storey, K., & Newton, J. S. (1997). *Functional assessment and program development for problem behavior* (2nd Ed.). Pacific Grove, CA: Cole Publishing Company.
- Öst, L. G., Alm, T., Brandberg, M., & Breitholtz, E. (2001). One vs. five sessions of exposure and five sessions of cognitive therapy in the treatment of claustrophobia. *Behaviour Research and Therapy, 39*(2), 167–183.
- Persons, J. B., & Burns, D. D. (1985). Mechanisms of action of cognitive therapy: The relative contributions of technical and interpersonal interventions. *Cognitive Therapy and Research, 9*, 539–551.
- Rees, C. S., McEvoy, P., & Nathan, P. R. (2005). Relationship between homework completion and outcome in cognitive behaviour therapy. *Cognitive Behaviour Therapy, 34*(4), 242–247.
- Reinecke, M. A., Ryan, N. E., & DuBois, D. L. (1998). Cognitive-behavioral therapy of depres-

- sion and depressive symptoms during adolescence: A review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 37(1), 26–34.
- Resick, P. A., Nishith, P., Weaver, T. L., Astin, M. C., & Feuer, C. A. (2002). A comparison of cognitive-processing therapy with prolonged exposure and a waiting condition for the treatment of chronic posttraumatic stress disorder in female rape victims. *Journal of Consulting and Clinical Psychology*, 70, 867–879.
- Romens, S. E., Abramson L. Y., & Alloy, A. B. (2009). High and low cognitive risk for depression: Stability from late adolescence to early adulthood. *Cognitive Therapy and Research*, 33, 480–498.
- Ruffolo, M. C., & Fischer, D. (2009). Using an evidence-based CBT group intervention model for adolescents with depressive symptoms: Lessons learned from a school-based adaptation. *Child and Family Social Work*, 14, 189–197.
- Segal, Z. V., Gemar, M., & Williams, S. (1999). Differential cognitive response to a mood challenge following successful cognitive therapy or pharmacotherapy for unipolar depression. *Journal of Abnormal Psychology*, 108, 3–10.
- Segal, Z. V., Kennedy, S., Gemar, M., Hood, K., Pedersen, R., & Buis, T. (2006). Cognitive reactivity to sad mood provocation and the prediction of depressive relapse. *Archives of General Psychiatry*, 63, 749–755.
- Selekman, M. D. (1993). *Pathways to change: Brief therapy solutions with difficult adolescents*. New York: Guilford Press.
- Shirk, S. R., Kaplinski, H., & Gudmundsen, G. (2009). School-based cognitive-behavioral therapy for adolescent depression: A benchmarking study. *Journal of Emotional and Behavioral Disorders*, 17, 106–117.
- Smith, D. C., Larson, J., & Nuckles, D. R. (2006). A critical analysis of school-based anger management programs for youth. In S. R. Jimerson & M. Furlong (Eds.), *Handbook of school violence and school safety: From research to practice* (pp. 365–382). Mahwah, NJ: Erlbaum.
- Stanford, E. J., Goetz, R. R., & Bloom, J. D. (1994). The no harm contract in the emergency assessment of suicidal risk. *Journal of Clinical Psychiatry*, 55, 344–348.
- Stanley, B., Brown, G., Brent, D. A., Wells, K., Poling, K., Curry, J., et al. (2009). Cognitive-behavioral therapy for suicide prevention (CBT-SP): Treatment model, feasibility, and acceptability. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48, 1005–1013.
- Stirman, S. W., Bhar, S. S., Spokas, M., Brown, G. K., Creed, T. A., Perivoliotis, D., et al. (2010). Training and consultation in evidence-based psychosocial treatments in public mental health settings: The ACCESS model. *Professional Psychology: Research and Practice*, 41, 48–56.
- Syzdek, M. R., Addis, M. E., & Martell, C. R. (2010). Working with emotion and emotion regulation in behavioral activation treatment for depressed mood. In A. M. Kring, & D. M. Sloan (Eds.), *Emotion regulation and psychopathology: A transdiagnostic approach to etiology and treatment* (pp. 405–426). New York: Guilford Press.
- Treatment for Adolescents with Depression Study (TADS) Team. (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for adolescents with depression study (TADS) randomized controlled trial. *Journal of the American Medical Association*, 292, 807–820.
- Van Oppen, P., de Haan, E., Van Balkom, A. J. L. M., & Spinhoven, P. (1995). Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. *Behaviour Research and Therapy*, 33, 379–390.

- Wenzel, A., Brown, G. K., & Beck, A. T. (2009). *Cognitive therapy for suicidal patients: Scientific and clinical applications*. Washington, DC: American Psychological Association.
- Willumsen, T., Vassend, O., & Hoffart, A. (2001). A comparison of cognitive therapy, applied relaxation, and nitrous oxide sedation in the treatment of dental fear. *Acta Odontologica Scandinavica*, 59, 290–296.
- Wolpe, J. (1969). *The practice of behavior therapy*. New York: Pergamon Press.